


**color**

- 9140 series fluorescent yellow/green
- 9140S series red
- 9140CY fluorescent yellow/green
- 9140L red/black
- 9140W black
- 9152 yellow. 9152E yellow. 9153 pink.
- 9155 yellow. 9156 fluorescent yellow/green.
- 9157 fluorescent yellow/green.

**dimensions**

- 9140 series – 40" H x 14-3/4" base x 4-3/4" top
- 9140S series – 12-3/16" W x 11" H
- 9140CY – 2" links x 20'
- 9140L – 6-3/4" L x 2-1/4" W x 2-1/4" H
- 9140W – 15" x 15" x 3/4"
- 9152 series – 10-3/4" L x 24-5/8"H x 1" W

**packaging**

- 9140 series – 3/cs. 
- 9140S series – 1/bx.
- 9140CY – 1/bg.; 50 bg/cs.
- 9140L – 1/cs.
- 9140W – 1/bx.
- 9152 series – 6/cs.

**9140 Series**

**TriVu® 3-Sided Safety Sign**

- 40" tall
- four choices
- highly visible fluorescent yellow/green
- warns of potential hazards.
- helps reduce injuries and liabilities
- 3-sided "viewing" from 35'
- 34% more space per side than 4-sided cones
- three convenient carrying handles
- keyhole accessory opening
- durable construction
- stackable
- UV protection for inside/outside use
- 9140 Wet Floor, English/Spanish
- 9140P Plain
- 9144 Work Area
- 9145 Do Not Enter



9140



9140P



9144



9145

**9140S Series**

**TriVu® Lock-On Triangular Sign**

- 11" tall
- triangular shaped
- locks securely on TriVu® Safety Sign for extra attention, making overall height 51"
- 9140S Lock-on Sign
- 9140SC Lock-On Work Area Sign



9140S



9140SC

**9140CY**

**TriVu® Chain**

- 2" x 20' fluorescent yellow/green plastic chain.
- secures into keyhole opening on TriVu® Safety Sign.
- connects one TriVu® to another to act as barrier or security for large area.



9140CY

**9140L**

**TriVu® Lock-On Flashing Light**

- flashing LED hazard light
- securely fits into TriVu® for maximum attention
- operates on two "AA" batteries (not included)



9140L

**9140W**

**TriVu® Weight Ring**

- slips easily over TriVu® for added stability
- excellent for outside windy conditions



9140W

**9152 Series**

**Wet Floor Sign**

- highly visible
- secures areas needing to be marked off
- impact-resistant
- folds flat for space saving storage
- ridged pattern on feet minimizes contact with floors
- 9152 wet floor, english/spanish
- 9152E wet floor, english only (not shown)
- 9153 wet floor, english/spanish
- 9155 no entry, english only
- 9156 wet floor, english/spanish
- 9157 restroom closed, english only



9152



9153



9155



9156



9157



1203



1204



1223



1200E



7225 series



9175



9177



9100

**WH1200** (not shown)

**A-Frame Floor Sign**

- “caution-wet floor”
- impact and stain resistant
- easy to keep clean
- unique hinge system eliminates center strap which can break or be removed
- unique raised dot system on bottom edge minimizes contact with the floor
- can be placed on freshly waxed floors without creating marks
- wider and more stable

**1203**

**A-Frame Floor Sign**

- “caution-wet floor/cuidado piso mojado”
- same features as WH1200 floor sign

**1204**

**A-Frame Floor Sign**

- “caution-wet floor”
- same features as WH1200 floor sign

**1223**

**A-Frame Floor Sign**

- “restroom closed”
- same features as WH1200 floor sign

**1200E**

**Extended Floor Sign**

- “caution-wet floor”
- 40” tall, provides alert visibility for increased warning of hazardous situations
- fits on any standard janitor cart
- leading edge for engineered design in floor signs

**7225 Series**

**4-Sided Wet Floor Cone**

- highly visible
- bright yellow
- stackable
- printed on all four sides
- bilingual in English/Spanish
- 12” x 12” base for added stability
- 7225 25” H
- 7235 35” H

**9175 Series**

**Safety Pole**

- fits in standard doorways, narrow hallways, and aisles
- prevents room entry during cleaning and maintenance
- extends 30” - 44”
- replacement sign available
- 9175 “closed for cleaning”
- 9177 “closed for maintenance”

**9100** (same as White 13)

**Wet Floor Cone**

- heavy-duty
- unbreakable
- constructed of vinyl
- one-piece construction with “Wet Floor” printed on two sides

**color**

WH1200 yellow

1203 yellow

1204 pink

1223 yellow

1200E yellow

7225 series yellow

9175 series yellow/black

9100 orange

**dimensions**

WH1200 – 12” W x 24” H

1203 – 12” W x 24” H

1204 – 12” W x 24” H

1223 – 12” W x 24” H

1200E – 12” W x 40” H

7225 – 12” L x 12” W x 25” H

7235 – 12” L x 12” W x 35” H

9175 series – 11” W x 18” L

9100 – 18” H

**packaging**

WH1200 – 6/cs.

1203 – 6/cs.

1204 – 6/cs.

1223 – 6/cs.

1200E – 3/cs.

7225 series – 5/cs.

9175 series – 6/cs.

9100 – 6/cs.

**color****7308 series** orange**7919** red/white**7920** red/yellow**7327 series** yellow/black**7372 / 7374** black**dimensions****7308** – 18" H**7309** – 28" H**7919** – 20" H x 14" W x 4" D**7920** – 20" H x 14" W x 4-1¼" D**7327 series** – 3" W x 1000' L**7372** – 2" W x 60' L**7374** – 6" W x 60' L**packaging****7308 series** – 6/cs. **7919** – 6/cs.**7920** – 1/cs.**7327 series** – 8 rl./cs.**7372** – 6/cs.**7374** – 2/cs.**7308 Series****Safety Cone**

- slim-line design
- wide base
- flanges on base of cone provide airflow, preventing cone tipping
- **7308** 18" H (same as White 13-601)
- **7309** 28" H



7308 series

**7919****Right To Know Center**

- helps comply with OSHA 29 CFR 1910.1200 Regulation - Hazard Communication
- center provides instant accessibility to important chemical hazard information
- highly visible
- made of durable polystyrene
- includes 1-1/2" three ring binder for MSDS
- replacement binder available



7919

**7920****Deluxe Right To Know Center**

- makes Material Safety Data Sheets available and accessible
- highly visible safety yellow/red sign
- heavy-duty wire basket with attached MSDS binder
- plastic cable with binder attached to center so MSDS' are not lost



7920

**7327 Series****Barrier Tape**

- warning sign and barricade to keep people clear of hazardous areas
- printed to help communicate possible hazards.
- polyethylene tape
- can be used with TriVu® Safety Signs
- **7327** Caution - Do Not Enter
- **7328** Caution
- **7328B** Caution - Cuidado
- **7329** Caution - Wet Floor



7327 series

**7372/7374****Anti-Skid Tape**

- prevent slip-related injuries
- adhesive backed grit surface
- provides long-lasting protection even when exposed to heavy traffic, water or grease
- use indoors and outdoors
- conforms to irregular surfaces
- **7372** 2" W
- **7374** 6" W



7372/7374

**OSHA Standard 29 CFR 1910.1200 Hazard Communication**

To ensure that the hazards of all chemicals in the workplace are evaluated and that information concerning the hazards is communicated to the employees. This communication of information is accomplished through a hazard communications program, container labeling, MSDS accessibility, and effective employee training.



7334B



7334BA



7334B2



7334B3



7334B5



8107



8100



8108



8200

**7334B**

**Fronrunner™ Safety Glasses**

- adjustable lock-in temples
- wraparound design
- maximum coverage at brow and sides
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- black frame; clear lens
- replacement lens available

**7334BA**

**Fronrunner™ Safety Glasses**

- anti-fog lens
- same features as 7334B safety glasses
- black frame; clear lens

**7334B2**

**Fronrunner™ Safety Glasses**

- same features as 7334B safety glasses
- black frame; smoke gray lens
- replacement lens available

**7334B3**

**Fronrunner™ Safety Glasses**

- same features as 7334B safety glasses
- red/white/blue frame; clear lens
- replacement lens available

**7334B5**

**Fronrunner™ Safety Glasses**

- same features as 7334B safety glasses
- blue frame; clear lens
- replacement lens available

**8107**

**Cerberus II Safety Glasses**

- ultra-lightweight
- wraparound design for comfort and balance
- soft PVC insert on nose bridge and temples for extra comfort
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- silver frame; blue green mirror lens

**8100**

**Cerberus™ Safety Glasses**

- ultra-lightweight
- wraparound design for comfort and balance
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- black frame; clear lens

**8108**

**Cerberus™ Safety Glasses**

- same features as 8100 safety glasses
- red frame; gold mirror lens

**8200**

**Crusader™ Safety Glasses**

- ultra-lightweight
- single wraparound lens with integral sideshields
- soft PVC nosepiece
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- black frame; clear lens

**frame/lens**

**7334B** black/clear

**7334BA** black/clear

**7334B2** black/smoke gray

**7334B3** red.white.blue/clear

**7334B5** blue/clear

**8107** silver/blue green mirror

**8100** black/clear

**8108** red/gold mirror

**8200** black/clear

**packaging**

**all safety glasses** – 12/ctn.; 12 ctn./cs.

**frame/lens****8202** black/smoke gray**8000** black/clear**8004** black/amber**8006** black/blue mirror**8010** clear & black/clear**8300** blue frost/clear**8308** blue frost/clear mirror**8400** blue/clear mirror**packaging**

all safety glasses – 12/ctn.; 12 ctn./cs.

**8202****Crusader™ Safety Glasses**

- same features as 8200 safety glasses
- black frame; smoke gray lens



8202

**8000****Advocate™ Safety Glasses**

- ultra-modern wraparound design
- soft PVC nosepiece; adjustable lock-in temples
- integrates lens and sideshields in a one-piece, seamless design
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- black frame; clear lens
- replacement lens available



8000

**8004****Advocate™ Safety Glasses**

- ultra-modern wraparound design
- soft PVC nosepiece; adjustable lock-in temples
- one-piece, seamless design
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- black frame; amber lens
- replacement lens available



8004



8006

**8006****Advocate™ Safety Glasses**

- same features as 8004 safety glasses
- black frame; blue mirror lens
- replacement lens available



8010

**8010****ProGuard® Safety Glasses**

- lightweight, comfortable; adjustable temple
- soft PVC insert on temples for extra comfort
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- clear & black frame; clear lens



8300

**8300****Preservator™ Safety Glasses**

- wraparound design
- soft PVC nosepiece; adjustable core wire temples
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- blue frost frame; clear lens



8308

**8308****Preservator™ Safety Glasses**

- indoor/outdoor clear mirror lens
- same features as 8300 safety glasses
- blue frost frame; clear mirror lens



8400

**8400****Shieldonian™ Safety Glasses with Ratcheted Temple**

- ratcheted adjustable temples
- wraparound lens design with integral sideshields
- indoor/outdoor clear mirror lens
- reduces glare from artificial light
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- blue frame; clear mirror lens



7330



7332



7340



7320



7321



7322



7323



6000



6001

**7330**

**Guardall™ Safety Glasses**

- built-in sideshields
- 56mm lens size
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- brown frame; clear lens
- replacement lens available

**7332**

**Protoguard™ Safety Spectacles**

- molded from 100% polycarbonate
- direct vent for maximum ventilation; lightweight
- wraparound design with protective browguard and vented sideshields
- scratch-resistant polycarbonate
- lenses provide 99.9% UV protection
- ProGuard® imprint
- clear frame; clear coated lens

**7340**

**Protoguard™ Visitor Spectacles**

- same features as 7332 safety spectacles
- clear frame; clear uncoated lens

**7320**

**Anti-Fog Safety Goggles**

- chemical splash with anti-fog lens
- indirect vent; cap vents
- soft PVC body; adjustable elastic headband
- fits over most prescription eyewear
- clear frame; clear anti-fog lens

**7321**

**Safety Goggles**

- chemical splash without anti-fog lens
- indirect vent; cap vents
- soft PVC body; adjustable elastic headband
- fits over most prescription eyewear
- clear frame; clear lens

**7322**

**General Purpose Safety Goggles**

- direct vent for maximum ventilation
- soft PVC body
- fits over most prescription eyewear
- adjustable elastic headband
- clear frame; clear lens

**7323**

**Anti-Fog Dust Goggles**

- soft foam lining for a comfortable seal around the face
- anti-fog lens; vented
- black frame; clear anti-fog lens

**6000**

**Safety Glasses Cord**

- adjustable 24" black nylon safety glasses cord with ProGuard® logo; adjustable length
- grips securely over eyeglass temple
- universal fit for most safety glasses

**6001**

**Safety Glasses Pouch**

- microfiber pouch for cleaning and storage
- fits all ProGuard® safety glasses
- 4" x 7" black pouch with ProGuard® logo
- draw string closure

**frame/lens**

7330 brown/clear

7332 clear/clear coated

7340 clear/clear uncoated

7320 clear/clear

7321 clear/clear

7322 clear/clear

7323 black/clear anti-fog

6000 black

6001 black

**packaging**

all safety glasses – 12/ctn.; 12 ctn./cs.

7320 – 5 dz./cs.

7321 – 5 dz./cs.

7322 – 5 dz./cs.

7323 – 5 dz./cs.

6000 – 1 dz./cs.

6001 – 1 dz./cs.

**frame/lens/color**

- 6000DK black
- 6005 clear acrylic
- 6012DC clear white w/ ProGuard® header
- 7364 white
- 7348 white
- 7349 white
- 7335 chrome
- 7396 blue

**dimensions**

- 6000DK – n/a
- 6005 – 19" H x 8" W x 4-1¼" D
- 6012DC – 8" L x 7-3¼" W x 21" H
- 7364 – 5-3¼" L x 8" H x 3" W
- 7348 – 5" W x 8" H x 8" D
- 7349 – 11" W x 13" H x 4" D
- 7335 – 7-3/8" L x 1-3/4" W x 5-5/8" H
- 7396 – 28-1/8" H x 26" W x 12" D

**packaging**

- 6000DK – 1/cs.
- 6005 – 1/cs.
- 6012DC – 1/cs.
- 7364 – 100/bx.; 6 bx./cs.
- 7348 – 6/cs.
- 7349 – 1/cs.; 6 cs./mstr.
- 7335 – 1/cs.
- 7396 – 1/cs.

**6000DK  
Safety Glasses Demo Kit**

- promotes ProGuard® eye protection sales
- 9-pair display



6000DK

**6005  
Eye Protection Dispenser**

- clear acrylic dispenser
- 12-unit display
- can be wall-mounted or free-standing
- easy-to-fill with hinged lid; quick dispensing



6005

**6012DC  
Eye Protection Counter Display**

- promotes ProGuard® eye protection sales
- 12-unit display



6012DC

**7364  
Lens Cleaning Wipes**

- disposable wipes are 5" x 8"
- anti-fog; anti-static; silicone free
- individually wrapped; pre-moistened
- wall-mounted or free standing dispenser



7364

**7348  
Lens Cleaning Station**

- each unit contains 8 oz. of anti-static/anti-fog lens cleaner and 2 boxes of 300 count tissues



7348

**7349  
Double Eye/Face Wash Station**

- plastic station with two 16 oz. bottles of saline solution
- wide mouth bottles provide initial flushing for alkali and acid splash
- safety sealed and dated to guard against contamination
- meets ANSI Z358.1-1990 (as a personal eye wash only)
- replacement bottle available



7349

**7335  
Eye/Face Emergency Wash Kit**

- chrome-plated brass eye wash unit attaches to existing faucets
- allows normal water to flow when not in use
- hands-free when unit is in operation
- does not meet ANSI standards
- can be used as a secondary station



7335

**7396  
Portable Gravity Fed Eye/Face Wash Station**

- for use in places where a plumbed-in station is not available
- designed to meet ANSI requirements for handicap accessibility
- meets 15 minute minimum flush time
- 21-gal. tank capacity
- 7396C Saline Solution refill available



7396

**OSHA Standard 29 CFR 1910.133 Eye Protection**

Employees must use appropriate eye or face protection when exposed to hazards from flying particles, molten metal, liquid chemicals, acids, chemical gases or vapors. Side are shields required when there is a hazard from flying objects.

**OSHA Standard 29 CFR 1910.151 Eye/Face Protection**

Requires facilities for drenching and flushing of eyes or face for any person that may be exposed to corrosive chemicals. Meets ANSI Z358.1-1990 Safety Standards.

Personal Protection



7313

**7313**

**Treads**

- excellent skid resistance; 100% waterproof
- covers most work shoes up to ankles
- abrasive outsoles
- excellent for use when stripping floors



7315

**7315**

**Safety Slippers**

- lightweight; abrasive outsole
- cushioned sole
- water-resistant polyethylene upper
- heavy machine stitched seam construction
- excellent for use when stripping floors



7390

**7390**

**General Purpose PVC Boot**

- 16" injection molded
- one-piece construction
- over-the-sock boot for waterproof protection
- resistant to animal wastes, acids, chemicals, industrial oils, greases
- heavy-duty steel toe and reinforced shank for added protection
- meets ANSI Standard Z41, Class 75 for impact and compression



73532

**73532**

**Disposable Shoe Covers**

- spun bond polypropylene
- universal sizing



7306 / 7306R

**new**

**7306 / 7306R**

**Safety Vests**

- synthetic knitted mesh fabric
- velcro closure
- elastic side straps
- **7306R** has reflective stripes



7307R

**7307 / 7307R**

**Safety Vest**

- synthetic knitted mesh fabric
- velcro closure
- \* elastic side straps
- **7307R** has reflective stripes



1540

**1540**

**Isolation Gown**

- offers excellent protection from fluid exposure
- constructed of lightweight material with long sleeves
- elastic cuffs; neck and waist ties
- unisize



7301

**7301**

**Heavy Weight Protective Safety Suit**

- PVC coated on polyester broad loom fabric
- .35mm thickness
- resistant to abrasions, tears, oils, acids and industrial compounds
- premium PVC allows suit to stay flexible at cold temperatures
- patch flap pockets; storm fly front
- elastic suspenders
- take-up snaps at wrists and ankles
- detachable hood with drawstrings

**color**

7313 black

7315 green/black

7390 black

73532 blue

7306 yellow/green. **7306R** yellow/green w/ reflective stripes

7307 orange. **7307R** orange w/ reflective stripes

1540 blue

7301 yellow

**size**

7313 – S (6-7), M (8-9), L (10-11), XL (12-13), 2XL (14-15)

7315 – M (10-11), L (12-13), XL (14-15)

7390 – S (8), M (9), L (10), XL (11), 2XL (12)

73532 – 12"

7306 / **7306R** – one size fits all

7307 / **7307R** – one size fits all

1540 – one size fits all

7301 – medium, large, xlarge, 2XL thru 5XL

**packaging**

7313 – 12 pr./cs.

7315 – 6 pr./cs.

7390 – 6 pr./cs.

73532 – 150 pr./cs.

7306 / **7306R** – 100/cs.

7307 / **7307R** – 100/cs.

1540 – 50/cs.

7301 – 10/cs.

**color**

- 7305 yellow
- 7383 white
- 7366 white
- 7384 white
- 7384H white
- 7385 white
- 7361 black
- 7362 white
- 8705 / 8706 / 8707 white

**size**

- 7305 – one size fits all
- 7383 – 18"
- 7366 – 18"
- 7384 – large, XL, 2XL, 3XL, 4XL
- 7384H – large, XL, 2XL, 3XL, 4XL
- 7385 – medium, large, XL, 2XL, 3XL
- 7361 – one size fits all
- 7362 – one size fits all
- 8705 / 8706 / 8707 – one size fits all

**packaging**

- 7305 – 50/cs.
- 7383 – 100 pr./cs.
- 7366 – 100 pr./cs. 
- 7384 – 5/bg.; 5 bgs./cs. 
- 7384H – 5/bg.; 5 bgs./cs. 
- 7385 – 6/bg.; 5 bgs./cs. 
- 7361 – 12/cs.
- 7362 – 72/cs.
- 8705 / 8706 – 100/bg.; 1000/cs. 
- 8707 – 100/bg.; 500/cs. 

size chart:	
medium	38 - 40
large	42 - 44
xlarge	46 - 48
2XL	50 - 52
3XL	54 - 56
4XL	58 - 60
5XL	62 - 64

**new**

**new**

**7305**

**Poncho**

- 10mm PVC
- 52" x 80"
- handy tote pouch
- attached hood
- snap closure at sides



7305

**7383**

**18" Disposable Poly Sleeve**

- protects arm and clothing from working environment
- soft elastic gather for comfortable fit



7383 / 7366

**7366**

**18" PE Coated Spunbonded Sleeve**

- polyethylene coated polypropylene material
- offers excellent protection from dirt and fluids
- soft elastic gathers for comfortable fit



7384

**7384**

**Disposable Coveralls with Collar**

- spun bonded polypropylene material
- provides excellent protection from fluid exposure
- constructed of soft, lightweight material with collar, elastic cuffs and ankle, front zipper
- great for light clean-up work



7384H

**7384H**

**Hooded Disposable Coveralls**

- spun bonded polypropylene material
- same features as 7384 but has attached hood



7385

**7385**

**Disposable Lab Coat**

- provides excellent protection from fluid exposure
- constructed of soft, lightweight material with long sleeves, knitted cuffs, collar, two pockets and four front snaps



7361

**7361**

**Medium Weight Neoprene Apron**

- 19 mil thickness
- 12-1/2-oz.
- four metal grommets
- USDA accepted
- reinforced bib and hemmed edges



7362

**7362**

**Light Weight Vinyl Apron**

- 8 mil thickness
- constructed of high quality Virgin vinyl
- ideal for lighter duty applications
- great for janitorial services
- USDA accepted



8705 / 8706

**8705 / 8706 / 8707**

**Disposable Polyethylene Apron**

- 1 mil thickness
- full bib
- provides economical protection
- USDA accepted
- unisize
- 8705 32" W x 50" L
- 8706 24" W x 42" L
- 8707 28" W x 46" L, 2 mil thickness



8707



8708



7368



7379



7389



7375



7325



7337 / 7338



7370

### 8708

#### Disposable Apron

- 1.25 mil thickness, 28" x 46"
- provides excellent protection for food preparation or other suitable applications
- neck loop and waist ties
- unisize

new

### 7368

#### Deluxe Back Support w/ Suspenders

- power knit spandex
- 4" knitted side pulls
- knitted suspenders w/ heavy-duty buckles and loops
- patented taper design reduces "ride-up"
- spun polyester 2-sided webbing
- 1 year warranty

### 7379

#### Single Closure Back Support w/ Suspenders

- retains memory for continued firm support
- same features as 7377 value-plus back support

### 7389

#### Basic Back Support

- economical
- designed with 8" elastic back panel
- 3" elastic side pulls
- detachable elastic suspenders.

### 7375

#### Value-Plus Rubber Knee Pads

- soft rubber; durable
- one-piece mold construction
- pads feature Velcro strap for secure fit

### 7325

#### Hard Hat

- high density polyethylene
- standard 4-point suspension
- accessory slots for cap attachments
- microporite brow pad; rain trough brim
- meets ANSI Z89.1-Type 1, Class G, E, and C as required by OSHA

### 7337

#### Ratchet Headgear

- holds plastic faceshield for full face protection
- protects against flying particles and chemical splash

### 7338

#### Polycarbonate Faceshield

- offers full face protection against flying particles, liquid and chemical splash
- constructed of polycarbonate material
- resists pitting and scratching
- shield measures 8" x 15-1/2" x .040" thickness
- proper eye protection must be used with faceshield

### 7370

#### Face Mask w/ Elastic Ear Loop

- spun bonded polypropylene
- 3-layer, pleated
- fastened with ultrasound at 2 side edges
- bacterial filtration efficiency (BFE)>97%
- anti-fog sweat band
- unisize

### color

8708 white

7368 black

7379 black

7389 black

7375 blue

7325 yellow

7337 blue

7338 clear

7370 blue

### size

8708 – one size fits all

7368 – small, medium, large

7379 – small, medium, large

7389 – small, medium, large, xlarge, 2XL

7375 – one size fits all

7325 – one size fits all

7337 – one size fits all

7338 – one size fits all

7370 – one size fits all

### packaging

8708 – 1000/cs.

7368 – 10/cs.; individual poly bag

7379 – 10/cs.; individual poly bag

7389 – 1/cs.; individual poly bag

7375 – 1 pr./cs.

7325 – 12/cs.

7337 – 24/cs.

7338 – 100/cs.

7370 – 300/cs.

**color**

- 7300 white
- 7312 white
- 7314 white
- 7386B21 brown. 7386K21 black. 7386W18 white. 7386W21 white. 7386W24 white
- 7387B18 blue. 7387B21 blue. 7387B24 blue. 7387W18 white. 7387W21 white. 7387W24 white
- 7388 white

**size**

- 7300 – one size fits all
- 7312 – one size fits all
- 7314 – one size fits all
- 7386B21 – 21"
- 7386K21 – 21"
- 7386W18 – 18"
- 7386W21 – 18"
- 7386W24 – 18"
- 7387B18 – 18"
- 7387B21 – 21"
- 7387B24 – 24"
- 7387W18 – 18"
- 7387W24 – 24"
- 7387W24 – 24"
- 7388 – one size fits all

**packaging**

- 7300 – 50/bx.; 12 bx./cs.
- 7312 – 20/bx.; 12 bx./cs.
- 7314 – 10/bx.; 12 bx./cs.
- 7386 series – 100/bx.; 10 bx./cs.
- 7387B18 / 7387B21 / 7387B24 – 100/bx.; 10 bx./cs.
- 7387W18 / 7387W21 / 7387W24 – 100/bx.; 10 bx./cs.
- 7388 – 100/bg.; 10 bg./cs.

**7300**

**Disposable Non-Toxic Dust Mask**

- protects from effects of pollen, dust, grass, and other non-toxic particles
- high quality construction will not collapse when wet from use or in high humidity areas
- custom fit nosepiece adjusts to contour of face



7300

**7312**

**Disposable Dust and Mist Respirator**

- protects from effects of pollen, dust, grass, and other non-toxic particles
- double shell construction
- provides comfortable tight fitting seal
- custom fit nosepiece
- OSHA and NIOSH APPROVED TC-21C-271



7312

**7314**

**Dust/Mist Respirator with Exhalation Valve**

- for hot, humid conditions
- double shell construction, exhalation valve
- custom fit nosepiece
- use with glasses, goggles or safety shield
- OSHA and NIOSH APPROVED TC-21C-271



7314

**7386 Series**

**Honeycomb Hair Nets**

- nylon material, 1¼16" honeycomb pattern
- great for food processing, food handling, lab work and manufacturing
- FDA accepted



7386 series

**7387B18 / 7387B21 / 7387B24**

**Blue Non-Woven Bouffant Caps**

- spunbonded polypropylene material
- great for hospitals, lab work, food processing and handling, manufacturing
- 7387B18 18"
- 7387B21 21"
- 7387B24 24"



7387B18 / 7387B21 / 7387B24

**7387W18 / 7387W21 / 7387W24**

**White Non-Woven Bouffant Caps**

- spunbonded polypropylene material
- great for hospitals, lab work, food processing and handling, manufacturing
- 7387W18 18"
- 7387W21 21"
- 7387W24 24"



7387W18 / 7387W21 / 7387W24

**7388**

**Spun Bonded Beard Net**

- great for hospitals, lab work, food processing, handling and manufacturing
- FDA accepted



7388

**OSHA Standard 29 CFR 1910.135 Head Protection**

Employees must wear protective helmets when working in areas where potential injury to the head from falling or flying objects or electrical contact.

**FDA Food Code 2-402.11 Hair Restraints**

All food employees shall wear hair restraints such as hair coverings or nets, beard restraint, and clothing that covers body hair that are designed to be worn to effectively keep their hair from contacting exposed food.



9000 / 9001



9000V



9001P



7310



7311C



7344

**9000 Acid Gas & Organic Vapor Respirator**

- nothing to replace except cartridges
- lightweight and reusable face piece
- allows normal use of goggles and glasses
- packaged in resealable poly bag
- NIOSH/OSHA APPROVED FC-23C-336
- approved for organic vapor, chlorine, hydrogen chloride, sulfur dioxide

**9001 Organic Vapor Respirator**

- NIOSH/OSHA APPROVED FC-23-171
- approved for paint, lacquer, enamel, metal fume, pesticide, organic vapor
- same features as 9000 Respirator

**9000V Acid Gas & Organic Vapor Cartridge and Filter**

- yellow for Acid Gas & Organic Vapor
- black for Organic Vapor
- N95 rated
- 95% effective against any particle

**9001P Organic Vapor Cartridge and Filter**

- same features as 9000V cartridge and filter

**7310 Disposable Foam Ear Plugs**

- soft foam material
- effective protection
- noise reduction rating (NRR) of 29 decibels
- biodegradable packaging

**7311C Disposable Corded Foam Ear Plugs**

- disposable
- noise reduction rating (NRR) of 29 decibels
- insertion instructions are printed on wall-mount dispenser box

**7344 Ear Muffs**

- foam-filled cushions
- noise reduction rating (NRR) protection of 22 decibels with 3-position usage

**color**

- 9000 black
- 9001 black
- 9000V yellow/black
- 9001P black
- 7310 orange
- 7311C orange
- 7344 red

**size**

- 9000 – one size fits all
- 9001 – one size fits all
- 9000V – n/a
- 9001P – n/a
- 7310 – one size fits all
- 7311C – one size fits all
- 7344 – one size fits all

**packaging**

- 9000 – 6/cs.
- 9001 – 6/cs.
- 9000V – 2/pk.; 6 pk./cs.
- 9001P – 2/pk.; 6 pk./cs.
- 7310 – 200 pr./bx.; 10 bx./cs.
- 7311C – 200 pr./bx.; 10 bx./cs.
- 7344 – 24/cs.

sound level chart in decibels	
whisper	30
vacuum cleaner	70
factory noise	80
lawn mower	90
rock concert	110
jet take off	120
thunder	120

**OSHA Standard 29 CFR 1910.134 Respiratory Protection**

Respirators must meet NIOSH approval for respiratory protection against most dusts. To protect from occupational diseases from conditions that are immediately dangerous to life caused by breathing air contaminated with hazardous levels of dusts, fog, fumes, mists, gases, smoke, sprays and vapors.

**OSHA Standard 29 CFR 1910.95 Ear Protection**

Requires hearing protection must be available to all workers exposed at or above 85 decibels over an 8 hr. period.

**color****7353** red/white. **7354** red/white**7351** white**7350** red**7352** red**7355** white**7356** red**dimensions****7353 series** – 12" W x 6" H x 3" L**7351** – 12" W x 6" H x 3" L**7350** – 4-1/2" W x 6-3/4" H x 4-1/2" L**7352** – 8-1/2" W x 10" H x 7-1/4" L**7355** – 8-1/2" H x 8-1/2" L x 2" W**7356** – 12" H x 24" L x 4" W**packaging****7353 series** – 6/cs.**7351** – 6/cs.**7350** – bulk**7352** – bulk**7355** – 6/cs.**7356** – 1/cs.**7353 Series****Bloodborne Pathogen Kit**

- safe and sanitary removal of spilled bodily fluids, blood and other potentially infectious substances
- helps prevent workplace exposure to bloodborne diseases
- complies with OSHA Bloodborne Pathogen Rule 29 CFR 1910.1030
- **kit includes:** 1 pair disposable latex gloves, 1 disposable faceshield, 1 disposable face mask, 1 pair disposable shoe covers, 1 disposable apron, 1 absorbent pack, 2 disposable towelettes, 2 scoops/scrapers, 2 red biohazard bags with ties, 1 disposable towel, 1 instruction sheet, 1 can 12-oz. disinfectant spray (has HIV-1 tuberculocidal claim)
- OSHA recommends a disinfectant registered to kill HIV-1 and Tuberculosis for final cleanup
- **7353** contains disinfectant
- **7354** does not contain disinfectant



7353 series



7351

**7351****Bloodborne Pathogen Kit**

- complies with OSHA Bloodborne Pathogen Rule 29 CFR 1910.1030
- heavy-duty plastic case with handle and safety latch
- **kit includes:** 1 pair disposable latex gloves, 1 pair disposable shoe covers, 1 disposable apron, 2 scoops/scrapers, 2 red biohazard bags with ties, 1 disposable towel, 1 pair protective eyewear, 1 isolation mask, 1 3-oz. packet of absorbent powder, 2 antiseptic wipes, Material Safety Data Sheets, 1 instruction sheet, 1 disposable wipe with HIV-1 tuberculocidal claim
- refill kit available



7350

**7350****Sharps Container**

- for disposal of various sharps
- meets OSHA Bloodborne Pathogens Rule, 29 CFR 1910.1030
- clear top; puncture-resistant
- leakproof; high-impact plastic
- lock-tight lids; can be autoclaved or incinerated
- 1-quart has blood tube holder
- easily accessible needle remover



7352

**7352****Sharps Container**

- 2-gallon size has wide horizontal opening for various sharp disposals
- same features as 7350 Sharps container



7355

**7355****Deluxe Cleanup and Absorbent Kit**

- used for safe, effective elimination of potentially hazardous spills
- **kit includes:** 1 super absorbent packet (absorbs 70-90 times its own weight), 2 disposable gloves, 2 disposable scoops, 2 absorbent towels, 2 germ-away disinfectant towelettes, 1 bottle of quaternary ammonia solution with squirt cap and instruction sheet
- does not comply with OSHA Standards



7356

**7356****Spill Kit**

- maintains potentially hazardous chemical or liquid spills
- absorbs 4-gallon liquid or chemical spills
- **kit includes:** 1-4 mil Ziplock bag, 3-3"x42" orange absorbent socks, 10-12"x12" gray absorbent pads, 2- 24"x24" 4 mil red containment bags, 1 pr. nitrile gloves (XL)

**OSHA Standard 29 CFR 1910.1030 Bloodborne Pathogen**

This standard is designed to help prevent workplace exposure to bloodborne pathogens (not limited to HIV-1 and HBV). Section (B) (3) states where there is occupational exposure, the employer shall provide appropriate Personal Protective Equipment (PPE) to employees who come in contact with blood or bodily fluids.



7358



7850



7852



7851



7317



7318

**new** 7358

**Emergency Response Kit**

- designed to assist people evacuating a building or surviving a catastrophe
- high visibility pack with velcro® strips that can be attached to the side of an office desk or easily carried by the retractable shoulder strap
- ideal for schools, office buildings, factories, hospitals, etc.
- **kit includes:** 1 emergency survival blanket, 2 packets purified drinking water, 1 whistle, 1 N95 respirator, 1 glow stick, 1 flashlight

**new** 7850

**50 Person First Aid Kit**

- serves 50 people
- **kit includes:** 1 4x5 yd. gauze bandage, 2 2x5 yd. gauze bandages, 1 triangular bandage, 1 2" ACE bandage, 2 gauze pad assortments, 3 ammonia inhalants, 1 first aid guide, 1 10-oz. eye irrigate, 1 pr. tweezers, 1 1½x5 yd. plastic tape, 50 instant cold packs, aspirin, cotton, 1 scissors kit, 1 pr. Nitrile gloves, 20 alcohol preps, 2 first aid creams, 100 adhesive strips, 1 combine pad, 3 sting reliefs, 1 plastic container

**new** 7852

**25 Person Food Service First Aid Kit**

- serves 25 people
- **kit includes:** 16 fingertip adhesive bandages, 16 knuckle adhesive bandages, 2 1-oz. eye irrigates, 1 rescue breather, 6 2x3 adhesive strips, 10 iodine wipes, 8 butterfly closures, 3 ammonia inhalants, 1 1x16 water gel, 1 2x6 water gels, 1 pr. tweezers, 1 1½x5 yds. plastic tape, 1 ACE bandage, 1 scissors kit, 1 2x5 yd. gauze bandage, 1 first aid cream, 1 triangular bandage, 1 combine pad, 50 3¼x3 adhesive strips, 10 alcohol preps, plastic container

**new** 7851

**Small Burn Kit**

- **kit includes:** 2 adhesive tape rolls, 1 4x5 yd. gauze bandage, 2 2x5 yds. gauze bandages, 1 pr. gloves, 1 scissors kit, 1 4x4 water gel, 2 2x6 water gels, 1 plastic container

**7317  
First Aid Kit**

- serves 9 people
- **kit includes:** 5 gauze pads, 1 adhesive bandage, 1 antiseptic unit \*, 1 triangular bandage, 1 cold pack, 1 pair Nitrile disposable gloves, 1 first aid cream, 1 plastic tweezers, 1 scissors kit, 1 roll tape, 1 gauze bandage, 1 6/pk. buffered aspirin (\*antiseptic unit contains: 3 alcohol preps, 3 sting relief swabs, 3 ammonia inhalants)
- refill kit available

**7318  
First Aid Kit**

- serves 25 people
- **kit includes:** 1 roll plastic tape, 1 bag alcohol preps, 1 triangular bandage, 1 cold pack, 1 pair Nitrile disposable gloves, 1 first aid cream, 1 plastic tweezers, 1 scissors kit, 1 box adhesive strips, 10 gauze pads, 1 combine pad, 2 gauze bandages, 3 sting relief swabs, 3 ammonia inhalants, 1 cotton, 1 6/pk. buffered aspirin
- refill kit available

**color**

- 7358 orange/yellow
- 7850 white
- 7852 white
- 7851 white
- 7317 white
- 7318 white

**dimensions**

- 7358 – 7-1¼" H x 11" L x 2" W
- 7850 – 9-3¼" H x 9-3¼" L x 3" W
- 7852 – 7" H x 10" L x 3" W
- 7851 – 5-1¼" H x 8-1¼" L x 3" W
- 7317 – 5" H x 8" L x 2-3/4" W
- 7318 – 7-1/2" H x 10-3/4" L x 2-5/8" W

**packaging**

- 7358 – 6/cs.
- 7850 – 6/cs.
- 7852 – 12/cs.
- 7851 – 12/cs.
- 7317 – 10/cs.
- 7318 – 12/cs.